




Color quality control




Qtex is the ideal tool for colorimetric quality control. The system allows fast, flexible and competent color evaluation for laboratory and production. Practice-oriented functions support efficient measurement, evaluation and reporting.

Qtex is a part of the Sedo Treepoint product family and can therefore easily be connected to one or several other systems of the Sedo Treepoint product family. The system can be installed as Client - Server network application.


Color quality control



Color difference measurement



Statistic evaluation



Database explorer

Typical Qtex applications:

- Color difference measurement Pass/Fail
- Efficient product control and data recording
- Statistic evaluation
- Intelligent creation of tolerance range
- Color sorting
- Color communication
- Check fastness according to ISO grey scale
- Whiteness and yellowness measurement
- Whiteness according GANZ-GRIESSER
- Comparison of color strength and standard depth
- Freely configurable data base
- Wash test according to IEC456 standard

Advantages of Qtex:

Time- and cost savings thanks to fast and clear decisions regarding Pass/Fail, whiteness degree, color sorting, etc.

Quality improvement, better color constancy, optimized correction methods, improved color communication with partners, etc.

More flexibility and efficiency through usage of optimized tolerance range, customized evaluations and report, import of measuring data from portable Spectrophotometers. All required information on a single screen.

Head office:
Sedo Treepoint GmbH, Germany
 Neuwies 1, D-35794 Mengerskirchen
 Phone: + 49 6476 31-0
sedo@sedo-treepoint.com

Sedo Treepoint, Switzerland
switzerland@sedo-treepoint.com

Sedo Treepoint, Belgium
belgium@sedo-treepoint.com

Sedo Treepoint, China
china@sedo-treepoint.com

Sedo Treepoint, India
india@sedo-treepoint.com

Sedo Treepoint, Singapore
singapore@sedo-treepoint.com

Sedo Treepoint, USA
usa@sedo-treepoint.com

Technical specifications are subject to change without prior notice.

